



ITEM	QTY -041	P/N	DESCRIPTION
	X	D4364-041	WEARPLATE ASSY
1	1	D4364-1	PLATE
2	1	D4365-041	BAR WELDMENT




**D4364-041 FWD WEARPLATE ASSY**

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4364-041" PER QSI 044 6.1
  - 7) WEIGHT: D4364-041 = 4.95 lbs
  - 8) WELDING: PER QSI 004
  - 9) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THICK, PER DART QSI 005 4.9.
  - 10) TRANSFER DRILL  $\varnothing$ 0.188 HOLES FROM D4365-041 BAR TO D4364-1 WEARPLATE AFTER WELDING
  - 11) FORM TO MATCH PROFILE OF D4364-1 AT TIME OF WELDING

PRELIMINARY ISSUE

C	D4365-041 WAS D4365-1, D4365-043 WAS D4365-3, REMOVE 2059B HARDCOAT WELD (MOVED TO D4365-041)	DB	15.09.18
B	TEXTURED COATING WAS ROCKGUARD 4714 (BOM TABLE), CHANGE NOTE 10 (SH 2)	DB	13.11.04
A	NEW ISSUE	SC	11.06.14
REV.	DESCRIPTION	BY	DATE
DESIGN	SC	<b>DART AEROSPACE USA, INC.</b> EUGENE, OR	
DRAWN	DB		
CHECKED	AJS	DRAWING NO.	REV. C3
MFG. APPR.	DD	<b>D4364</b>	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>WEARPLATE ASSY</b>	NTS
DATE	15.09.18	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4364-043	WEARPLATE ASSY
1	1	D4364-3	PLATE
2	1	D4365-043	BAR WELDMENT



**D4364-043 AFT WEARPLATE ASSY**

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4364-043" PER QSI 044 6.1
  - 7) WEIGHT: D4364-043 = 7.03 lbs
  - 8) WELDING: PER QSI 004
  - 9) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THICK, PER DART QSI 005 4.9.
  - 10) TRANSFER DRILL  $\varnothing$ 0.188 HOLES FROM D4365-043 BAR TO D4364-3 WEARPLATE AFTER WELDING

PRELIMINARY ISSUE

DESIGN	SC	<b>DART AEROSPACE USA, INC.</b> EUGENE, OR	
DRAWN	DB		
CHECKED	AJS	DRAWING NO. <b>D4364</b>	REV. C3 SHEET 2 OF 5
MFG. APPR.	DD	TITLE <b>WEARPLATE ASSY</b>	
APPROVED		SCALE NTS	
DE APPR.		COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	
DATE	15.09.18		

